POPULATION ESTIMATES				LONG-TERM CARE			LOCAL HEALTH DEPARTMENTS				
						Per					
Total 2003 Population 21,030			Community Options and MA Waiver			0. 66. 575		10, 000			
			as HSRS reports costs for services			Staffing - FTE	Number	Popul ati on			
Population per square mile 24				01.1	0 + -	Total Staff Administrative Public health nur Other prof. staff Technical/Parapro Support staff	15.0	7. 1			
County ranking in state (1-72) 58			COP MA Waiver *	Crients	Costs	Administrative	2.0	0. 9			
•			-	COP	2	\$7,309	Public health nur	ses 9.0	4. 3		
Age	Female	Male	Total	MA Waiver *	4	#400 040	Uther prof. staff	1.0	0. 5		
0-14	1, 820 720	1, 990	3, 800	CIPIA	4	\$198,043	Techni cai /Parapro	л			
15-19	720	780	1, 490	CIPIB	60	\$1, 2/3, 849	Support Starr	3. 0	1. 4		
20-24	520	550	1, 070 950	MA Walver ^ CIP1A CIP1B CIP2 COP-W	25 110	\$223, 301	Funding		Dom conito		
25-29	470	480	950	COP-W	119	\$718, 282	Fundi ng Total Local Taxes	¢04/ 700	Per capi ta		
30-34	570	570	1, 140	CSLA	0	\$U #40 1F0	Iotal	\$846, 788 ¢500, 007	\$40. 18		
35-39	680	700	1, 380	Brain injury	1 211	\$48, ISU	Local raxes	\$502, 886	\$23. 86		
40-44	840	830	1, 670 3, 090	CIP1B CIP2 COP-W CSLA Brain Injury Total COP/Wvrs	211	\$2,401,625	LLCENCED	ECTADI I CUME	MTC		
45-54 55-64	1, 490 1, 240	1, 590 1, 220	3, 090 2, 450	¢270 210 of	the above	wai ver costs	LI CENSED ESTABLI SHMENTS				
65-74	1, 240	940	2, 450 1, 950	\$279,216 01 were paid as I			Туре	Canaci ty	Eacilities		
75-84	820	630	1, 450	using COP fund	local liaton	mount is	Type Pod & Proakfast	Capacity	7 Tacilities		
85+	400	200	600	not included i	us. IIIIs a in abovo CO	D costs	Camps	540	4 14		
Total	10, 560	10, 470	21, 030	not meruded i	ili above co	r COSTS.	Callips Hotals Motals	730	10 25		
lotai	10, 300	10,470	21,030	* Waiver costs	s renorted	horo	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	430	25 1/		
Age	Female	Male	Total	include feder	s reported cal funding	ilei e	Pools	42	5		
0-17	2, 260	2, 470	4, 710	Therade reder	ai runurng	•	Restaurants		138		
18-44	3, 360	3, 430	6, 790		Clients	Costs	Vendi ng		2		
45-64		2 810	5, 540	Eligible and Waiting	orrents	00313	Vending		_		
65+	2, 730 2, 230	2, 810 1, 770	4, 000	Waiting	2	n/a					
Total	10, 560	10, 470	21, 030	la cong	_	117 G					
			(Family Care no	at provided	in county)	WIC PA	RTI CI PANTS				
Poverty Estimates for 2000		(raminy dare no	or provided	in oounty)	9						
Fstimate (C I ±/_)								Number			
All ages 2.096 138		Note: Eligible	and waitin	a clients	Pregnant/Postpartum 195						
All ages 2,096 138 10.1% (7%) Ages 0-17 670 63 13.3% (9%)		will be phase	ed into the	COP and MA	Infants		231				
Ages 0-17 670 63		Wai vers as av	vai I abl e.		Children, age 1-4	į.	353				
		13. 3%	(9%)				Total		779		
İ											
	EMPLO	OYMENT					CANCER IN	ICI DENCE (20	02)		
Average	e wage for jol	bs covere	ed	Home Health Age	enci es	1	Primary Site	•	,		
by uner	nployment com	pensati on	ı \$23, 776	Patients		303	Breasť		18		
(pl ace	of work)			Patients per	10,000 pop.	144	Cervi cal		0		
"	-		Annual				Colorectal		12		
Labor F	Force Estimate	es	Average	Nursing Homes		1	Lung and Bronchus	,	29		
i i		Li censed beds		173	Prostate		20				
Civilian Labor Force 11,369		Occupancy rate	Э	94.4%	Other sites		57				
Numb	oer employed		10, 535	Residents on I	Dec. 31	163	Total		136		
Numb	per unemployed	d	834	Residents age	65 or olde	r		_			
Civilian Labor Force 11,369 Number employed 10,535 Number unemployed 834 Unemployment rate 7.3%		per 1,000 por	oul ati on	40	Note: Totals shown						
							i nvasi ve can	icers only.			

			NATA	IITY				
TOTAL LIVE BIRTHS Crude Live Birth Rate General Fertility Rat Live births with reportations anomalies	e rted	212 10. 1 55. 8 4 1. 9%	Birth Order First Second Third Fourth or higher Unknown	Bi rths 83 73 34	Percent 39 34 16 10 0	Marital Status of Mother Married Not married Unknown Education	Births 146 66 0	Percent 69 31 0
Delivery Type Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean	1	<pre>Percent <. 5 2 73 12 12</pre>	1st Prenatal Visit 1st trimester 2nd trimester 3rd trimester No visits Unknown	Bi rths 182 29 1 0	Percent 86 14 <. 5 0 0	of Mother Elementary or les Some high school High school Some college College graduate Unknown	Births ss 3 31 89 51 38 0	1 15 42 24 18 0
Birthweight	Bi rths 3 7 202 0	Percent	Prenatal Visits No visits 1-4 5-9 10-12 13+ Unknown	Bi rths 0 1 37 108 66 0	Percent 0 <.5 17 51 31 0	Smoking Status of Mother Smoker Nonsmoker Unknown	Bi rths 64 148 0	Percent 30 70 0
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	201	\sim r	Low Birthweight (under 2,500 gm) Births Percent 10 5.0	1st Tr Bi rths 174 5 *	Tri mesto i mester Percent 87 83	er of First Prenatal 2nd Trimester Births Percent 26 13 1 17	Other/	'Unknown Percent <. 5
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown		rtility Rate 11 67 127 129 74 24 4	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Bi rths 4 17 57 48 41 13 *	Tri mesto i mester Percent	er of First Prenatal 2nd Trimester Births Percent 2 11 9 14 13 21 1 2 3 19 *	Other/	/Unknown Percent . 20
Teenage Births	24	33	* Data not	reported	if age or	race category has le	ess than 5	births.

MORBI DI TY			MOI	RTALLTY				
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.							
Di sease Campyl obacter Enteritis Gi ardi asi s Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnai re's Lyme Measl es Meni ngi ti s, Aseptic Meni ngi ti s, Bacteri al Mumps Pertussi s Sal monel losi s Shi gel losi s Tubercul osi s	TOTAL DEATHS	Deaths	Rate	Sel ected Underlying Cause Heart Di sease (total) I schemic heart di sea Cancer (total) Trachea/Bronchus/Lur Col orectal Femal e Breast Cerebrovascul ar Di sea Lower Resp. Di sease Pneumonia & Influenza Acci dents Motor vehicle Di abetes Infect./Parasi tic Di s Sui ci de	ase 51 242 75 357 ag 24 114 6 . 4 .* ase 14 . 8 . 19 . 7			
 * 2003 provisional data. ** Includes all positive HBsAg test results. 	Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 4 2 2	Rate	* Based on female pop ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA	SE AS UNDERLYING			
Sexually Transmitted Disease Chlamydia Trachomatis 43 Genital Herpes 10 Gonorrhea 8 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	4		Al cohol Other Drugs Both Mentioned * Includes tobacco us MOTOR VEHIO Note: These data are	se (see page 7). CLE CRASHES			
Children in Grades K-12 by Compliance Level Compliant 3,819 Non-compliant 13 Percent Compliant 99.7	Bi rthwei ght <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Peri natal Mortal i ty Total Peri natal Neonatal Fetal	Deaths	Rate	Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	on residence. Persons Persons Injured Killed 197 7 26 2			

Per 1,000 Pop 202 9.6 8 . 45 6.6 33 6.0 16 29.1 Ire 29 1.4 26 6.5	(Days) 4.7 4.9 4.4 4.9 6.1	Average Charge \$15, 850 \$17, 765 \$18, 204 \$14, 866 \$19, 738	Charge Per Capi ta \$152 \$118 \$108 \$432 \$27	DI SEASE / AGE GROUP Al cohol -Rel atec Total 18-44 45-64 Pneumonia and I Total <18	38 22 10 nfl uenza	1, 000 Pop 1. 8 3. 2	•	Average Charge \$2, 985 \$1, 822	Charge Per Capi ta \$5 \$6
Pop	(Days) 4.7 4.9 4.4 4.9 6.1	\$15, 850 \$17, 765 \$18, 204 \$14, 866 \$19, 738	\$152 \$118 \$108 \$432	AGE GROUP Al cohol -Rel atec Total 18-44 45-64 Pneumonia and I Total	38 22 10 nfl uenza	Pop 1. 8 3. 2	(Days) 2. 6 1. 9	\$2, 985 \$1, 822	Capi ta \$5 \$6
202 9.6 8 . 45 6.6 33 6.0 16 29.1 1re 29 1.4 26 6.5	4. 7 4. 9 4. 4 4. 9 6. 1	\$15, 850 \$17, 765 \$18, 204 \$14, 866 \$19, 738	\$152 \$118 \$108 \$432	Al cohol -Rel atec Total 18-44 45-64 Pneumoni a and I Total	38 22 10 nfl uenza	1. 8 3. 2	2. 6 1. 9	\$2, 985 \$1, 822	\$5 \$6
202 9.6 8 . 45 6.6 33 6.0 16 29.1 Ire 29 1.4 26 6.5	4. 9 4. 4 4. 9 6. 1	\$17, 765 \$18, 204 \$14, 866 \$19, 738	\$118 \$108 \$432	Total 18-44 45-64 Pneumonia and I Total	38 22 10 nfl uenza	3. 2	1. 9	\$1,822	\$6
202 9.6 8 . 45 6.6 33 6.0 16 29.1 Ire 29 1.4 26 6.5	4. 9 4. 4 4. 9 6. 1	\$17, 765 \$18, 204 \$14, 866 \$19, 738	\$118 \$108 \$432	Total 18-44 45-64 Pneumonia and I Total	38 22 10 nfl uenza	3. 2	1. 9	\$1,822	\$6
8	4. 9 4. 4 4. 9 6. 1	\$17, 765 \$18, 204 \$14, 866 \$19, 738	\$118 \$108 \$432	45-64 Pneumonia and I Total	22 10 nfl uenza	3. 2	1. 9	\$1,822	\$6
45 6. 6 33 6. 0 16 29. 1 Ire 29 1. 4 26 6. 5	4. 4 4. 9 6. 1	\$18, 204 \$14, 866 \$19, 738	\$108 \$432	45-64 Pneumonia and I Total	10 nfl uenza		•		·
33 6. 0 16 29. 1 Ire 29 1. 4 26 6. 5	4. 4 4. 9 6. 1	\$18, 204 \$14, 866 \$19, 738	\$108 \$432	Pneumonia and I Total					
16 29.1 lire 29 1.4 26 6.5	4. 9 6. 1	\$14, 866 \$19, 738	\$432	Total					
ire 29 1. 4 26 6. 5	6. 1	\$19, 738			83	3. 9	5. 3	\$9, 486	\$37
29 1. 4 26 6. 5			¢27		6				
26 6.5			DZ /	45-64	16				
3	0.0	\$20,094	\$131	65+	59	14. 8	5. 7	\$10, 289	\$152
7		+=0,07.	4.0 .	Cerebrovascul ar	Di sease	•	. .	4.0, 20,	¥.0=
		_		Total	93	4.4	4. 0	\$10, 891	\$48
4 .						• • •			
•	-	·	•	65+	7 <u>9</u>	19. 8	4. 0	\$10, 308	\$204
								, , , , , , , ,	,
86 4.1	8. 6	\$7, 103	\$29			2. 2		\$8, 646	\$19
17 .		, , , , , , ,			5				
	3. 5	\$3,052	\$12						
				45-64					
				65+	25	6. 3	5. 2	\$8, 179	\$51
				Drug-Rel ated				,	
ise				Total	20	1. 0	9. 9	\$9, 202	\$9
95 9.3	3. 1	\$20, 364	\$189		10				
	2. 8	\$22,091							
	3. 4			Total Hospitali	zati ons				
				Total	2, 668	126. 9	4. 0	\$11,614	\$1, 473
(Cancers)	: All							\$5, 481	\$394
		\$17, 605	\$121	18-44		77. 1	2. 8	\$7, 352	\$567
11 .				45-64	561	101. 3			\$1,526
		\$17, 602	\$165	65+	1, 245	312.0			\$4, 217
78 19.5	5. 8	\$16,013	\$313		•			·	·
	ates for	female po		PF	REVENTABLE	HOSPI T	ALI ZATI	ONS*	
7 .				Total	351	16. 7	4. 3	\$8, 365	\$140
				<18	29	6. 2	2. 1	\$2, 712	\$17
				18-44	29	4. 3	3. 0	\$6, 229	\$27
				45-64	75	13. 5	5. 0	\$10, 761	\$146
				65+	218	54.6	4. 6	\$8, 577	\$469
21 1.0	5. 6	\$18, 197	\$18						•
				* Hospitalizations	for cond	itions	where t	imely and	effecti v
25 1. 2	7. 9	\$25, 284	\$30	ambulatory care ca	n reduce	the lik	el i hood	of hospi	talizatio
9		+=0, =01	•					c	
	•	•	•						
1	86 4.1 17 . 27 4.0 27 4.9 15 . ase 195 9.3 72 13.0 119 29.8 (Cancers) 144 6.8 11 . 52 9.4 78 19.5 Breast (range) ectal 14 . 10 . 21 1.0	86	86	86	4	4	4	4	4